

Exhibit 5



US00D739906S

(12) **United States Design Patent** (10) **Patent No.:** **US D739,906 S**
Chen (45) **Date of Patent:** **** Sep. 29, 2015**

(54) **TWO-WHEELED VEHICLE**(71) Applicant: **Shane Chen**, Camas, WA (US)(72) Inventor: **Shane Chen**, Camas, WA (US)(*** Term: **14 Years**(21) Appl. No.: **29/448,472**(22) Filed: **Mar. 12, 2013**(51) LOC (10) Cl. **21-02**(52) U.S. Cl. **USPC D21/760**(58) **Field of Classification Search**

USPC D21/419, 421, 423, 426, 760, 765, 766,
 D21/769, 771, 776, 803; D12/1; 280/7.14,
 280/11.14, 11.16, 11.19, 11.115, 11.226,
 280/11.233, 11.25, 11.27, 11.28, 14.21,
 280/87.01, 87.021, 87.03, 87.041, 87.042,
 280/809, 811; 180/180, 181

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D437,377 S * 2/2001 Fisher D21/765
 D465,003 S * 10/2002 Ohrvall et al. D21/763
 D535,714 S * 1/2007 Cheng et al. D21/763

D552,201 S * 10/2007 Kwak D21/765
 D567,883 S * 4/2008 Ota D21/421
 D572,332 S * 7/2008 Sramek et al. D21/765
 D607,525 S * 1/2010 Marciano D21/769

* cited by examiner


Primary Examiner — Cynthia M Chin(57) **CLAIM**

The ornamental design for a two-wheeled vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the two-wheeled vehicle.
 FIG. 2 is a front elevation view of the vehicle of FIG. 1; the rear elevation views being identical thereto.
 FIG. 3 is a bottom view of the vehicle of FIG. 1.
 FIG. 4 is a perspective view of the vehicle of FIG. 1; and,
 FIG. 5 is a side view of the vehicle of FIG. 1; the opposite side view being identical thereto.

The broken lines represent functional components which are provided for context and do not form a part of the claimed design. In FIGS. 1-4, the single broken line in the middle of the vehicle represents a joint whereby the right and left halves of the vehicle may twist relative to each other as part of the vehicle's function.

1 Claim, 3 Drawing Sheets

U.S. Patent

Sep. 29, 2015

Sheet 1 of 3

US D739,906 S

Fig. 1





Fig. 2




U.S. Patent

Sep. 29, 2015

Sheet 2 of 3

US D739,906 S

Fig. 3



U.S. Patent

Sep. 29, 2015

Sheet 3 of 3

US D739,906 S

Fig. 4




Fig. 5

